

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L467465-115-42018102-2
Report Reference E467465-20181024
Date 27-Apr-2022

Issued to: Suzhou Inovance Technology Co Ltd
16 Youxiang Rd
Yuexi Town
Wuzhong District Suzhou, Jiangsu 215104
China

This is to certify that representative samples of NMMS - Power Conversion Equipment
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 61800-5-1, 1st Ed., Issue Date: 2012-06-08, Revision Date: 2021-02-11

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L467465-115-42018102-2
Report Reference E467465-20181024
Date 27-Apr-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Enclosed type 1 Cat. MD500, followed by T, followed by 132, 160, followed by G, follow by / or null, follow by 160, 200, followed by P or null, follow by B or null, follow by -L or null, follow by - PLUS, followed by -P1, may be followed by any alphanumeric suffixes.	Power Conversion Equipment
Open type Cat. MD520, followed by -4T, followed by 132, 160, 200, 220, 250, 280, 315, 355 and 400, followed by B or null, followed by S or null, followed by -L or null, followed by null, may be followed by any alphanumeric suffixes.	Power Conversion Equipment
T9 , Cat. CS710, followed by-, followed by 4T, followed by 132 or 160, followed by G, followed by B or null, followed by -P1, may be followed by any alphanumeric suffixes.	Power Conversion Equipment
Cat. CS710,, followed by-, followed by 4T, followed by 132, 160, 200, 220, 250, 280, 315, 355, or 400, followed by G, followed by B or null, may be followed by any alphanumeric suffixes.	Power Conversion Equipment
T9 , Cat. IS580, followed by-, followed by T, followed by 250 or 300, followed by R1 or D, followed by -P1, may be followed by any alphanumeric suffixes.	Power Conversion Equipment
Cat. IS580,, followed by-, followed by T, followed by 250, 300, 370, 420, 460, 520, 580, 650, or 720, followed by R1 or D, may be followed by any alphanumeric suffixes.	Power Conversion Equipment
T9 , Cat. MD290, followed By T, followed by 132 or 160, followed by G, followed by /, followed by 160 or 200, followed by P, may be followed by B or null, followed by -P1, may be followed by any alphanumeric suffixes.	Power Conversion Equipment
Cat. MD290,, followed By T, followed by 200, 220, 250, 280, 315, 355, 400, 450, or 500 followed by G or P, may be followed by B or null, may be followed by any alphanumeric suffixes.	Power Conversion Equipment
T9 , Cat. MD500 or MD500E, followed by T followed by 132, 160, 200, followed by G or P, may be followed by B or null, followed by -P1, may be followed by any alphanumeric suffixes.	Power Conversion Equipment
CS600, followed by -D, followed by 600, 850 followed by A, may be followed by any alphanumeric suffixes.	Power Conversion Equipment



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L467465-115-42018102-2
Report Reference E467465-20181024
Date 27-Apr-2022

Enclosed type 1 Cat. MD520, followed by -4T, followed by 132 and 160, followed by B or null, followed by S or null, followed by -L or null, followed by -P1, may be followed by any alphanumeric suffixes.	Power Conversion Equipment
MD290,, followed By T, followed by 132, or 160, followed by G, followed by /, followed by 160, or 200, followed by P, may be followed by B or null, may be followed by any alphanumeric suffixes.	Power Conversion Equipment
MD500 or MD500E,, followed by T followed by 132, 160, 200, 220, 250, 280, 315, 355, 400, or 450, followed by G or P, may be followed by B or null, may be followed by any alphanumeric suffixes.	Power Conversion Equipment
Open Type Power Conversion Equipment, Cat. MD500 follow by T, followed by 132, 160, 200, 220, 250, 280, 315, 355, 400, or 450,, followed by G, follow by / or null , follow by 160, 200, 220, 250, 280, 315, 355, 400, 450, 500 or null, followed by P or null, follow by B or null, follow by -L or null, follow by - PLUS, may be followed by any alphanumeric suffixes.	Power Conversion Equipment



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L467465-415-42018102-2
Report Reference E467465-20181024
Date 27-Apr-2022

Issued to: Suzhou Inovance Technology Co Ltd
16 Youxiang Rd
Yuexi Town
Wuzhong District Suzhou, Jiangsu 215104
China

This is to certify that representative samples of NMMS7 - Power Conversion Equipment Certified for Canada

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: CSA C22.2 NO. 274, 2nd Ed., Issue Date: 2017-04-01,
Revision Date: 2017-04-01

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L467465-415-42018102-2
Report Reference E467465-20181024
Date 27-Apr-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Enclosed type 1 Cat. MD500, followed by T, followed by 132, 160, followed by G, follow by / or null, follow by 160, 200, followed by P or null, follow by B or null, follow by -L or null, follow by - PLUS, followed by -P1, may be followed by any alphanumeric suffixes.	Power Conversion Equipment
Open type Cat. MD520, followed by -4T, followed by 132, 160, 200, 220, 250, 280, 315, 355 and 400, followed by B or null, followed by S or null, followed by -L or null, followed by null, may be followed by any alphanumeric suffixes.	Power Conversion Equipment
T9 , Cat. CS710, followed by-, followed by 4T, followed by 132 or 160, followed by G, followed by B or null, followed by -P1, may be followed by any alphanumeric suffixes.	Power Conversion Equipment
Cat. CS710,, followed by-, followed by 4T, followed by 132, 160, 200, 220, 250, 280, 315, 355, or 400, followed by G, followed by B or null, may be followed by any alphanumeric suffixes.	Power Conversion Equipment
T9 , Cat. IS580, followed by-, followed by T, followed by 250 or 300, followed by R1 or D, followed by -P1, may be followed by any alphanumeric suffixes.	Power Conversion Equipment
Cat. IS580,, followed by-, followed by T, followed by 250, 300, 370, 420, 460, 520, 580, 650, or 720, followed by R1 or D, may be followed by any alphanumeric suffixes.	Power Conversion Equipment
T9 , Cat. MD290, followed By T, followed by 132 or 160, followed by G, followed by /, followed by 160 or 200, followed by P, may be followed by B or null, followed by - P1, may be followed by any alphanumeric suffixes.	Power Conversion Equipment
Cat. MD290,, followed By T, followed by 200, 220, 250, 280, 315, 355, 400, 450, or 500 followed by G or P, may be followed by B or null, may be followed by any alphanumeric suffixes.	Power Conversion Equipment
T9 , Cat. MD500 or MD500E, followed by T followed by 132, 160, 200, followed by G or P, may be followed by B or null, followed by -P1, may be followed by any alphanumeric suffixes.	Power Conversion Equipment
CS600, followed by -D, followed by 600, 850 followed by A, may be followed by any alphanumeric suffixes.	Power Conversion Equipment



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L467465-415-42018102-2
Report Reference E467465-20181024
Date 27-Apr-2022

Enclosed type 1 Cat. MD520, followed by -4T, followed by 132 and 160, followed by B or null, followed by S or null, followed by -L or null, followed by -P1, may be followed by any alphanumeric suffixes.	Power Conversion Equipment
MD290,, followed By T, followed by 132, or 160, followed by G, followed by /, followed by 160, or 200, followed by P, may be followed by B or null, may be followed by any alphanumeric suffixes.	Power Conversion Equipment
MD500 or MD500E,, followed by T followed by 132, 160, 200, 220, 250, 280, 315, 355, 400, or 450, followed by G or P, may be followed by B or null, may be followed by any alphanumeric suffixes.	Power Conversion Equipment
Open Type Power Conversion Equipment, Cat. MD500 follow by T, followed by 132, 160, 200, 220, 250, 280, 315, 355, 400, or 450,, followed by G, follow by / or null , follow by 160, 200, 220, 250, 280, 315, 355, 400, 450, 500 or null, followed by P or null, follow by B or null, follow by -L or null, follow by - PLUS, may be followed by any alphanumeric suffixes.	Power Conversion Equipment



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

