



Product Service

Attestation of Conformity

No. E8A 080658 0252 Rev. 03

Holder of Certificate: **Suzhou Inovance Technology Co., Ltd.**
No.16, Youxiang Road, Yuexi Town, Wuzhong District
215104 Suzhou
PEOPLE'S REPUBLIC OF CHINA

Name of Object: **Electronic frequency converter
(AC Drive; Elevator AC Drive; AC Servo
Drive)**

This Attestation of Conformity is issued on a voluntary basis according to the Directive 2014/30/EU relating to electromagnetic compatibility. It confirms that the listed apparatus complies with all essential requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for testing and certification. For details see: www.tuvsud.com/ps-cert

Test report no.: 6876018036405

Date, 2022-02-25

(Laurent Yuan)

Page 1 of 7

After preparation of the necessary technical documentation as well as the EU Declaration of conformity the required CE marking can be affixed on the product. That Declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Product Service

Attestation of Conformity

No. E8A 080658 0252 Rev. 03

Model(s):

AC Drive:

MD500T18.5G(a), MD500T18.5GB(a), MD500ET18.5G(a),
MD500ET18.5GB(a), CS200-4T18.5GB(a), CS710-4T18.5GB(a),
MD480T18.5GB(a), MD480T18.5G(a), MD500T18.5G-T(a),
MD500T18.5GB-T(a), MD500ET18.5G-T(a), MD500ET18.5GB-T(a),
MD480T18.5GB-T(a), MD480T18.5G-T(a), MD290T18.5G/22P-T(a),
MD290T18.5G/22PB-T(a), MD500T22G-T(a), MD500T22GB-T(a),
MD500ET22G-T(a), MD500ET22GB-T(a), MD480T22GB-T(a),
MD480T22G-T(a), MD500T22G(a), MD500T22GB(a),
MD500T22P(a), MD500T22PB(a), MD290T18.5G/22P(a),
MD290T18.5G/22PB(a), MD500ET22G(a), MD500ET22GB(a),
CS200-4T22GB(a), CS710-4T22GB(a), MD480T22GB(a),
MD480T22G(a), MD500T30P(a), MD500T30PB(a),
MD290T22G/30P(a), MD290T22G/30PB(a), MD290T22G/30P-T(a),
MD500T30G(a), MD500T30GB(a), MD500ET30G(a),
MD500ET30GB(a), CS200-4T30GB(a), CS710-4T30GB(a),
MD500T37P(a), MD500T37PB(a), MD290T30G/37P(a),
MD290T30G/37PB(a), MD500T37G(a), MD500T37GB(a),
MD500ET37G(a), MD500ET37GB(a), CS200-4T37GB(a),
CS710-4T37GB(a), MD500T45P(a), MD500T45PB(a),
MD290T37G/45P(a), MD290T37G/45PB(a),
MD500T18.5G/22P-PLUS(a), MD500T18.5G/22PB-PLUS(a),
MD500T18.5G/22P-T-PLUS(a), MD500T18.5G/22PB-T-PLUS(a),
MD500T22G/30P-PLUS(a), MD500T22G/30PB-PLUS(a),
MD500T22G/30P-T-PLUS(a), MD500T22G/30PB-T-PLUS(a),
MD500T18.5G-PLUS(a), MD500T18.5GB-PLUS(a),
MD500T18.5G-T-PLUS(a), MD500T18.5GB-T-PLUS(a),
MD500T22G-PLUS(a), MD500T22GB-PLUS(a),
MD500T22G-T-PLUS(a), MD500T22GB-T-PLUS(a),
MD500T30G/37P-PLUS(a), MD500T30G/37PB-PLUS(a),
MD500T37G/45P-PLUS(a), MD500T37G/45PB-PLUS(a),
MD500T30G-PLUS(a), MD500T30GB-PLUS(a),
MD500T37G-PLUS(a), MD500T37GB-PLUS(a),
MD500L-T18.5GB(a), MD500L-T22GB(a), MD500L-T30GB(a),
MD520-4T18.5(a), MD520-4T18.5B(a), MD520-4T18.5-T(a),
MD520-4T18.5B-T(a), MD520-4T22(a), MD520-4T22B(a),
MD520-4T22-T(a), MD520-4T22B-T(a), MD520-4T18.5S(a),
MD520-4T18.5BS(a), MD520-4T18.5S-T(a), MD520-4T18.5BS-T(a),
MD520-4T22S(a), MD520-4T22BS(a), MD520-4T22S-T(a),
MD520-4T22BS-T(a), MD520-2T11(a), MD520-2T11B(a),
MD520-4T30(a), MD520-4T30B(a), MD520-4T37(a),
MD520-4T37B(a), MD520-4T30S(a), MD520-4T30BS(a),
MD520-4T37S(a), MD520-4T37BS(a), MD520-2T15(a),
MD520-2T15B(a), MD520-2T18.5(a), MD520-2T18.5B(a),
MD580-4T45(a), MD580-4T45B(a), MD580-4T60(a),
MD580-4T60B(a), MD580-4T75(a), MD580-4T75B(a),
MD580-4T91(a), MD580-4T91B(a),

AC Servo Drive:

IS580T020-R1(a), IS580T030-R1(a), IS580T035-R1(a),
IS580T040-R1(a), IS580T020-R1-S(a), IS580T030-R1-S(a),
IS580T035-R1-S(a), IS580T040-R1-S(a), ES510T042-R1(a),
IS580T050-R1(a), IS580T070-R1(a), IS580T050-R1-S(a),
ES510T055-R1(a), IS580T070-R1-S(a), IS580T420-R1(a),

Elevator AC Drive:

MD290T18.5G/22PB(a), MD290T22G/30PB(a),
MD290T30G/37PB(a), MD290T37G/45PB(a)

Page 2 of 7

After preparation of the necessary technical documentation as well as the EU Declaration of conformity the required CE marking can be affixed on the product. That Declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Product Service

Attestation of Conformity

No. E8A 080658 0252 Rev. 03

Description of

Object:

Ratings: See below table for details

Tested according to:

EN IEC 61800-3:2018
EN 61800-3:2004/A1:2012
EN 55011:2016/A1:2017
EN 55011:2016/A11:2020
EN IEC 61000-6-4:2019
EN 61000-6-4:2007/A1:2011
EN 61000-6-2:2005
EN 12015:2014
EN 12015:2020
EN 12016:2013

Page 3 of 7

After preparation of the necessary technical documentation as well as the EU Declaration of conformity the required CE marking can be affixed on the product. That Declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Product Service

Attestation of Conformity

No. E8A 080658 0252 Rev. 03

Model No.	Rated Input	Rated Output
MD500T18.5G(a)	3PH AC 380-480V, 49.5A, 50/60Hz	3PH AC 0-480V, 37A, 0-500Hz, 18.5kW
MD500T18.5GB(a)		
MD500ET18.5G(a)		
MD500ET18.5GB(a)		
CS200-4T18.5GB(a)		
CS710-4T18.5GB(a)		
MD480T18.5GB(a)		
MD480T18.5G(a)	3PH AC 380-480V, 43.4A, 50/60Hz	3PH AC 0-480V, 37A, 0-500Hz, 18.5kW
MD500T18.5G-T(a)		
MD500T18.5GB-T(a)		
MD500ET18.5G-T(a)		
MD500ET18.5GB-T(a)		
MD480T18.5GB-T(a)		
MD480T18.5G-T(a)		
MD290T18.5G/22P-T(a)	3PH AC 380-480V, 51.3A, 50/60Hz	3PH AC 0-480V, 45A, 0-500Hz, 22kW
MD290T18.5G/22PB-T(a)		
MD500T22G-T(a)		
MD500T22GB-T(a)		
MD500ET22G-T(a)		
MD500ET22GB-T(a)		
MD480T22GB-T(a)		
MD480T22G-T(a)	3PH AC 380-480V, 59A, 50/60Hz	3PH AC 0-480V, 45A, 0-500Hz, 22kW
MD500T22G(a)		
MD500T22GB(a)		
MD500T22P(a)		
MD500T22PB(a)		
MD290T18.5G/22P(a)		
MD290T18.5G/22PB(a)		
MD500ET22G(a)		
MD500ET22GB(a)		
CS200-4T22GB(a)		
CS710-4T22GB(a)		
MD480T22GB(a)		
MD480T22G(a)	3PH AC 380-480V, 65.8A, 50/60Hz	3PH AC 0-480V, 60A, 0-500Hz, 30kW
MD500T30P (a)		
MD500T30PB(a)		
MD290T22G/30P(a)		
MD290T22G/30PB(a)		
MD290T22G/30P-T(a)	3PH AC 380-480V, 57A, 50/60Hz	3PH AC 0-480V, 60A, 0-500Hz, 30kW
MD500T30G(a)		
MD500T30GB(a)		
MD500ET30G(a)		
MD500ET30GB(a)		
CS200-4T30GB(a)	3PH AC 380-480V, 71A, 50/60Hz	3PH AC 0-480V, 75A, 0-500Hz, 37kW
CS710-4T30GB(a)		
MD500T37P(a)		
MD500T37PB(a)		
MD290T30G/37P(a)		
MD290T30G/37PB(a)	3PH AC 380-480V, 69A, 50/60Hz	3PH AC 0-480V, 75A, 0-500Hz, 37kW
MD500T37G(a)		
MD500T37GB(a)		
MD500ET37G(a)		
MD500ET37GB(a)		
CS200-4T37GB(a)	3PH AC 380-480V, 86A, 50/60Hz	3PH AC 0-480V, 91A, 0-500Hz, 45kW
CS710-4T37GB(a)		
MD500T45P(a)		

Page 4 of 7

After preparation of the necessary technical documentation as well as the EU Declaration of conformity the required CE marking can be affixed on the product. That Declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Attestation of Conformity

No. E8A 080658 0252 Rev. 03

MD500T45PB(a)		
MD290T37G/45P(a)		
MD290T37G/45PB(a)		
MD500T18.5G/22P-PLUS(a)	3PH AC 380-480V, 9.5A/59A, 50/60Hz	3PH AC 0-480V, 37A/45A, 0-599Hz, 18.5kW/22kW
MD500T18.5G/22PB-PLUS(a)	3PH AC 380-480V, 49.5A/59A, 50/60Hz	3PH AC 0-480V, 37A/45A, 0-599Hz, 18.5kW/22kW
MD500T18.5G/22P-T-PLUS(a)	3PH AC 380-480V, 43.4A/51.3A, 50/60Hz	3PH AC 0-480V, 37A/45A, 0-599Hz, 18.5kW/22kW
MD500T18.5G/22PB-T-PLUS(a)	3PH AC 380-480V, 43.4A/51.3A, 50/60Hz	3PH AC 0-480V, 37A/45A, 0-599Hz, 18.5kW/22kW
MD500T22G/30P-PLUS(a)	3PH AC 380-480V, 59A/65.8A, 50/60Hz	3PH AC 0-480V, 45A/60A, 0-599Hz, 22kW/30kW
MD500T22G/30PB-PLUS(a)	3PH AC 380-480V, 59A/65.8A, 50/60Hz	3PH AC 0-480V, 45A/60A, 0-599Hz, 22kW/30kW
MD500T22G/30P-T-PLUS(a)	3PH AC 380-480V, 51.3A/65.8A, 50/60Hz	3PH AC 0-480V, 45A/60A, 0-599Hz, 22kW/30kW
MD500T22G/30PB-T-PLUS(a)	3PH AC 380-480V, 51.3A/65.8A, 50/60Hz	3PH AC 0-480V, 45A/60A, 0-599Hz, 22kW/30kW
MD500T18.5G-PLUS(a)	3PH AC 380-480V, 49.5A, 50/60Hz	3PH AC 0-480V, 37A, 0-599Hz, 18.5kW
MD500T18.5GB-PLUS(a)	3PH AC 380-480V, 49.5A, 50/60Hz	3PH AC 0-480V, 37A, 0-599Hz, 18.5kW
MD500T18.5G-T-PLUS(a)	3PH AC 380-480V, 43.4A, 50/60Hz	3PH AC 0-480V, 37A, 0-599Hz, 18.5kW
MD500T18.5GB-T-PLUS(a)	3PH AC 380-480V, 43.4A, 50/60Hz	3PH AC 0-480V 37A 0-599Hz 18.5kW
MD500T22G-PLUS(a)	3PH AC 380-480V, 59A, 50/60Hz	3PH AC 0-480V, 45A, 0-599Hz, 22kW
MD500T22GB-PLUS(a)	3PH AC 380-480V, 59A, 50/60Hz	3PH AC 0-480V, 45A, 0-599Hz, 22kW
MD500T22G-T-PLUS(a)	3PH AC 380-480V, 51.3A, 50/60Hz	3PH AC 0-480V, 45A, 0-599Hz, 22kW
MD500T22GB-T-PLUS(a)	3PH AC 380-480V, 51.3A, 50/60Hz	3PH AC 0-480V, 45A, 0-599Hz, 22kW
MD500T30G/37P-PLUS(a)	3PH AC 380-480V, 57A/71A, 50/60Hz	3PH AC 0-480V, 60A/75A, 0-599Hz, 30kW/37kW
MD500T30G/37PB-PLUS(a)	3PH AC 380-480V, 57A/71A, 50/60Hz	3PH AC 0-480V, 60A/75A, 0-599Hz, 30kW/37kW
MD500T37G/45P-PLUS(a)	3PH AC 380-480V, 69A/86A, 50/60Hz	3PH AC 0-480V, 75A/91A, 0-599Hz, 37kW/45kW
MD500T37G/45PB-PLUS(a)	3PH AC 380-480V, 69A/86A, 50/60Hz	3PH AC 0-480V, 75A/91A, 0-599Hz, 37kW/45kW
MD500T30G-PLUS(a)	3PH AC 380-480V, 57A, 50/60Hz	3PH AC 0-480V, 60A, 0-599Hz, 30kW
MD500T30GB-PLUS(a)	3PH AC 380-480V, 57A, 50/60Hz	3PH AC 0-480V, 60A, 0-599Hz, 30kW
MD500T37G-PLUS(a)	3PH AC 380-480V, 69A, 50/60Hz	3PH AC 0-480V, 75A, 0-599Hz, 37kW
MD500T37GB-PLUS(a)	3PH AC 380-480V, 69A, 50/60Hz	3PH AC 0-480V, 75A, 0-599Hz, 37kW
MD500L-T18.5GB(a)	3PH AC 380-480V, 49.5A, 50/60Hz	3PH AC 0-480V, 37.0A, 0-500Hz, 18.5kW
MD500L-T22GB(a)	3PH AC 380-480V, 59A, 50/60Hz	3PH AC 0-480V, 45.0A, 0-500Hz, 22kW
MD500L-T30GB(a)	3PH AC 380-480V, 57A, 50/60Hz	3PH AC 0-480V, 60.0A, 0-500Hz, 30kW
IS580T020-R1(a)	3PH AC 380-480V, 36.3A, 50/60Hz	3PH AC 0-480V, 25.0A, 0-300Hz, 11kW
IS580T030-R1(a)	3PH AC 380-480V, 45.1A, 50/60Hz	3PH AC 0-480V, 32.0A, 0-300Hz, 15kW
IS580T035-R1(a)	3PH AC 380-480V, 49.5A, 50/60Hz	3PH AC 0-480V, 37A, 0-300Hz, 18.5kW
IS580T040-R1(a)	3PH AC 380-480V, 59A, 50/60Hz	3PH AC 0-480V, 45A, 0-300Hz, 22kW
IS580T020-R1-S(a)	3PH AC 380-480V, 36.3A, 50/60Hz	3PH AC 0-480V 25.0A, 0-300Hz, 11kW
IS580T030-R1-S(a)	3PH AC 380-480V, 45.1A, 50/60Hz	3PH AC 0-480V 32.0A, 0-300Hz, 15kW
IS580T035-R1-S(a)	3PH AC 380-480V, 49.5A, 50/60Hz	3PH AC 0-480V 37.0A, 0-300Hz, 18.5kW
IS580T040-R1-S(a)	3PH AC 380-480V, 59.0A, 50/60Hz	3PH AC 0-480V 45.0A, 0-300Hz, 22kW
ES510T042-R1(a)	3PH AC 380-480V, 59.0A, 50/60Hz	3PH AC 0-480V 45.0A, 0-300Hz, 22kW
IS580T050-R1(a)	3PH AC 380-480V, 57A, 50/60Hz	3PH AC 0-480V, 60A, 0-300Hz, 30kW
IS580T070-R1(a)	3PH AC 380-480V, 69A, 50/60Hz	3PH AC 0-480V, 75A, 0-300Hz, 37kW
IS580T050-R1-S(a)	3PH AC 380-480V, 57A, 50/60Hz	3PH AC 0-480V, 60A, 0-300Hz, 30kW
ES510T055-R1(a)	3PH AC 380-480V, 57A, 50/60Hz	3PH AC 0-480V, 60A, 0-300Hz, 30kW
IS580T070-R1-S(a)	3PH AC 380-480V, 69A, 50/60Hz	3PH AC 0-480V, 75A, 0-300Hz, 37kW
IS580T420-R1(a)	3PH AC 380-480V, 410A, 50/60Hz	3PH AC 0-480V, 426A, 0-300Hz, 220kW
MD290T18.5G/22PB(a)	3PH AC 380-480V, 44.0A, 50/60Hz	3PH AC 0-480V, 37.0A, 0-500Hz 18.5kW
MD290T22G/30PB(a)	3PH AC 380-480V, 59.0A, 50/60Hz	3PH AC 0-480V, 45.0A, 0-500Hz 22kW
MD290T30G/37PB(a)	3PH AC 380-480V, 65.8A, 50/60Hz	3PH AC 0-480V, 60.0A, 0-500Hz 30kW

Page 5 of 7

After preparation of the necessary technical documentation as well as the EU Declaration of conformity the required CE marking can be affixed on the product. That Declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Attestation of Conformity

No. E8A 080658 0252 Rev. 03

MD290T37G/45PB(a)	3PH AC 380-480V, 71.0A, 50/60Hz	3PH AC 0-480V, 75.0A, 0-500Hz 37kW
MD520-4T18.5(a)	3PH AC 380-480V, 39A/48A, 50/60Hz	3PH AC 0-480V, 37A/45A, 0-599Hz, 18.5kW/22kW
MD520-4T18.5B(a)	3PH AC 380-480V, 39A/48A, 50/60Hz	3PH AC 0-480V, 37A/45A, 0-599Hz, 18.5kW/22kW
MD520-4T18.5-T(a)	3PH AC 380-480V, 36A/43A, 50/60Hz	3PH AC 0-480V, 37A/45A, 0-599Hz, 18.5kW/22kW
MD520-4T18.5B-T(a)	3PH AC 380-480V, 36A/43A, 50/60Hz	3PH AC 0-480V, 37A/45A, 0-599Hz, 18.5kW/22kW
MD520-4T22(a)	3PH AC 380-480V, 48A/64A, 50/60Hz	3PH AC 0-480V, 45A/60A, 0-599Hz, 22kW/30kW
MD520-4T22B(a)	3PH AC 380-480V, 48A/64A, 50/60Hz	3PH AC 0-480V, 45A/60A, 0-599Hz, 22kW/30kW
MD520-4T22-T(a)	3PH AC 380-480V, 43A/57A, 50/60Hz	3PH AC 0-480V, 45A/60A, 0-599Hz, 22kW/30kW
MD520-4T22B-T(a)	3PH AC 380-480V, 43A/57A, 50/60Hz	3PH AC 0-480V, 45A/60A, 0-599Hz, 22kW/30kW
MD520-4T18.5S(a)	3PH AC 380-480V, 49.5A/59A, 50/60Hz	3PH AC 0-480V, 37A/45A, 0-599Hz, 18.5kW/22kW
MD520-4T18.5BS(a)	3PH AC 380-480V, 49.5A/59A, 50/60Hz	3PH AC 0-480V, 37A/45A, 0-599Hz, 18.5kW/22kW
MD520-4T18.5S-T(a)	3PH AC 380-480V, 43.4A/51.3A, 50/60Hz	3PH AC 0-480V, 37A/45A, 0-599Hz, 18.5kW/22kW
MD520-4T18.5BS-T(a)	3PH AC 380-480V, 43.4A/51.3A, 50/60Hz	3PH AC 0-480V, 37A/45A, 0-599Hz, 18.5kW/22kW
MD520-4T22S(a)	3PH AC 380-480V, 59A/66A, 50/60Hz	3PH AC 0-480V, 45A/60A, 0-599Hz, 22kW/30kW
MD520-4T22BS(a)	3PH AC 380-480V, 59A/66A, 50/60Hz	3PH AC 0-480V, 45A/60A, 0-599Hz, 22kW/30kW
MD520-4T22S-T(a)	3PH AC 380-480V, 51.3A/57A, 50/60Hz	3PH AC 0-480V, 45A/60A, 0-599Hz, 22kW/30kW
MD520-4T22BS-T(a)	3PH AC 380-480V, 51.3A/57A, 50/60Hz	3PH AC 0-480V, 45A/60A, 0-599Hz, 22kW/30kW
MD520-2T11(a)	3PH AC 200-240V, 59A/65.8A, 50/60Hz	3PH AC 0-240V, 45A/60A, 0-599Hz, 11kW/15kW
MD520-2T11B(a)	3PH AC 200-240V, 59A/65.8A, 50/60Hz	3PH AC 0-240V, 45A/60A, 0-599Hz, 11kW/15kW
MD520-4T30(a)	3PH AC 380-480V, 57A/71A, 50/60Hz	3PH AC 0-480V, 60A/75A, 0-599Hz, 30kW/37kW
MD520-4T30B(a)	3PH AC 380-480V, 57A/71A, 50/60Hz	3PH AC 0-480V, 60A/75A, 0-599Hz, 30kW/37kW
MD520-4T37(a)	3PH AC 380-480V, 69A/86A, 50/60Hz	3PH AC 0-480V, 75A/91A, 0-599Hz, 37kW/45kW
MD520-4T37B(a)	3PH AC 380-480V, 69A/86A, 50/60Hz	3PH AC 0-480V, 75A/91A, 0-599Hz, 37kW/45kW
MD520-4T30S(a)	3PH AC 380-480V, 57A/71A, 50/60Hz	3PH AC 0-480V, 60A/75A, 0-599Hz, 30kW/37kW
MD520-4T30BS(a)	3PH AC 380-480V, 57A/71A, 50/60Hz	3PH AC 0-480V, 60A/75A, 0-599Hz, 30kW/37kW
MD520-4T37S(a)	3PH AC 380-480V, 69A/86A, 50/60Hz	3PH AC 0-480V, 75A/91A, 0-599Hz, 37kW/45kW
MD520-4T37BS(a)	3PH AC 380-480V, 69A/86A, 50/60Hz	3PH AC 0-480V, 75A/91A, 0-599Hz, 37kW/45kW
MD520-2T15(a)	3PH AC 200-240V, 57A/71A, 50/60Hz	3PH AC 0-240V, 60A/75A, 0-599Hz, 15kW/18.5kW
MD520-2T15B(a)	3PH AC 200-240V, 57A/71A, 50/60Hz	3PH AC 0-240V, 60A/75A, 0-599Hz, 15kW/18.5kW
MD520-2T18.5(a)	3PH AC 200-240V, 69A/86A, 50/60Hz	3PH AC 0-240V, 75A/91A, 0-599Hz, 18.5kW/22kW
MD520-2T18.5B(a)	3PH AC 200-240V, 69A/86A, 50/60Hz	3PH AC 0-240V, 75A/91A, 0-599Hz, 18.5kW/22kW

Page 6 of 7

After preparation of the necessary technical documentation as well as the EU Declaration of conformity the required CE marking can be affixed on the product. That Declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Product Service

Attestation of Conformity

No. E8A 080658 0252 Rev. 03

MD580-4T45(a)	3PH AC 380-480V, 49.5/59.0A, 50/60Hz	3PH AC 0-480V, 37.0/45.0A, 0-599Hz, 18.5/22kW
MD580-4T45B(a)	3PH AC 380-480V, 49.5/59.0A, 50/60Hz	3PH AC 0-480V, 37.0/45.0A, 0-599Hz, 18.5/22kW
MD580-4T60(a)	3PH AC 380-480V, 59.0/65.8A, 50/60Hz	3PH AC 0-480V, 45.0/60.0A, 0-599Hz, 22/30kW
MD580-4T60B(a)	3PH AC 380-480V, 59.0/65.8A, 50/60Hz	3PH AC 0-480V, 45.0/60.0A, 0-599Hz, 22/30kW
MD580-4T75(a)	3PH AC 380-480V, 57A/71A, 50/60Hz	3PH AC 0-480V, 60A/75A, 0-599Hz, 30kW/37kW
MD580-4T75B(a)	3PH AC 380-480V, 57A/71A, 50/60Hz	3PH AC 0-480V, 60A/75A, 0-599Hz, 30kW/37kW
MD580-4T91(a)	3PH AC 380-480V, 69A/86A, 50/60Hz	3PH AC 0-480V, 75A/91A, 0-599Hz, 37kW/45kW
MD580-4T91B(a)	3PH AC 380-480V, 69A/86A, 50/60Hz	3PH AC 0-480V, 75A/91A, 0-599Hz, 37kW/45kW

Page 7 of 7

After preparation of the necessary technical documentation as well as the EU Declaration of conformity the required CE marking can be affixed on the product. That Declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.